Zoom Lens

This zoom lens is designed for use with Panasonic's applicable projectors. The lens makes it possible to vary the projection distance by changing the focal distance.

NOTE: Please use the lens only on the specified Panasonic projector.

Specifications

F value: 2.5

Focal distance (f): 35.0 - 50.9 mm

Throw ratio: 1.79 - 2.59:1 4K+ WUXGA/Full HD 1.67 - 2.41:1

SXGA+ 1.80 - 2.61:11.85 - 2.68:1 **WXGA**

134 \times 134 \times 265 mm (5-9/32 \times 5-9/32 \times 10-7/16 inches) Dimensions (W \times H \times D):

Weight: Approximately 5.2 kg* (11.5 lbs*)

[Group A] Applicable projector

PT-DZ21K/DZ21K2/DS20K/DS20K2/DW17K/DW17K2/DZ16K/DZ16K2

[Group B]


PT-DZ13K/DS12K/DW11K/DZ10K/DZ8700/DZ110K/DS8500/DS1100K/DW8300/DW90K

[Group C]

PT-RZ12K/RS11K PT-RQ13K [Group D] PT-RZ21K/RS20K PT-RQ22K [Group E] PT-RZ31K/RS30K PT-RQ32K

*Average value. May differ depending on the actual unit. The throw ratio is an approximate value calculated by dividing the screen width by the projection distance.


Dimensions




unit : mm (inch) NOTE: This illustration is not drawn to scale.


NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.

Zoom Lens




[Group B]





[Group D]



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.

[Group E] (O) 1070 89.2 91 (3-19/32) (42-1/8) (3-1/2)

unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances.

Weights and dimensions shown are approximate. Specifications subject to change without notice.