Zoom Lens

ET-D75LE50

This fixed-focus lens is designed for use with Panasonic's applicable projectors. The short-throw lens is ideal for rear projection.

NOTE: Please use the lens only on the specified Panasonic projector.

Specifications

F value: 2.5 Focal distance (f): 14.8 mm

Throw ratio: 4K+ 0.746:1

WUXGA 0.694:1 Full HD 0.695:1 SXGA+ 0.752:1 WXGA 0.774:1

Dimensions (W \times H \times D): $160 \times 160 \times 347 \text{ mm} (6-5/16 \times 6-5/16 \times 13-21/32 \text{ inches})$

Weight: Approximately 7.1 kg* (15.7 lbs*)

[Group A] Applicable projector

PT-DZ21K/DZ21K2/DS20K/DS20K2/DW17K/DW17K2/DZ16K/DZ16K2


[Group B]

PT-DZ13K/DS12K/DW11K/DZ10K/DZ8700/DZ110K/DS8500/DS1100K/DW8300/DW90K

[Group C] PT-RZ12K/RS11K PT-RQ13K [Group D] PT-RZ21K/RS20K PT-RQ22K [Group E] PT-RZ31K/RS30K PT-RQ32K

*Average value. May differ depending on the actual unit. The throw ratio is an approximate value calculated by dividing the screen width by the projection distance.


Dimensions




unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.


Zoom Lens




[Group B]



[Group C]




[Group D]



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances.
Weights and dimensions shown are approximate. Specifications subject to change without notice.

ET-**D75LE50**



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.