

## WX-SM410 Lavalier Microphone

Featuring a condenser microphone with cardioid polar pattern and Panasonic's proprietary filtering to eliminate noise yet provide clear and original sound quality with a flat frequency response this lavalier microphone is designed to optimize vocal clarity. Panasonic leveraged its' 30 years' of experience in designing the most rugged products in the industry to ensure that this lavalier mic would outlast the competition in a high use environment. Wireless bodypack + lavalier mic set (WX-ST400) sold separately.



### Key Features:

- Crystal Clear Sound, Optimized for Vocal Presentations
- Kevlar-reinforced cable for extreme durability
- Easy & Convenient to use
- Compatible with Panasonic wireless bodypack transmitters (2.5mm TS mono connector)

Leveraging Panasonic's 20-year experience in DECT wireless audio communications, the WX-SR200P 1.9 GHz digital wireless microphone system is the best-in-class solution for classroom or corporate presentations providing low latency for hybrid in-room/virtual applications. Panasonic's digital wireless microphone system is easy to set up, easy to integrate with third-party control systems (such as Crestron and Extron) and easy to use. Setup is a breeze - the wireless microphones and bodypack transmitters pair wirelessly with Panasonic's WX-SR202 receiver and assigns channels automatically, eliminating the need for manual channel assignment. The system can be expandable to suit a variety of spaces, from small classrooms, medium sized classrooms / conference rooms, to large auditoriums. Up to 8 separate antennas (per receiver) can be mounted to the wall or the ceiling in the room and connected via CAT5 back to the receiver locked away in a cabinet or closet and multiple 2-channel receivers can be installed to add wireless microphone channels to the room.

## WX-SM410 Specifications

<b>Microphone Element:</b>	Electret Condenser
<b>Microphone Polar Pattern:</b>	Cardioid
<b>Microphone Frequency Response:</b>	100 Hz to 15 kHz
<b>Microphone Input:</b>	2.5mm jack (two contacts) (1) Signal (Bia DC 2.5 V) (2) GND
<b>Operating Ambient Temp.:</b>	41° F to 95° F (5° C to 35°C)
<b>Warranty (Parts &amp; Labor):</b>	1 year
<b>Lavalier Mic Dimensions (Max. Diameter x L)</b>	33/64 x 55/64 inches (13 mm x 22mm)